

Uploading C:\Program Files\Stnexp\Queries\10532633.str





chain nodes :
13 15 17
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12
chain bonds :
1-13 9-15 15-17
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 7-10 8-9 8-12 10-11 11-12
exact/norm bonds :

G1:C,S

12 15-17


G2:0,S

Match level:
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 15:CLASS 17:CLASS

 $1-2 \quad 1-6 \quad 1-13 \quad 2-3 \quad 3-4 \quad 4-5 \quad 5-6 \quad 5-7 \quad 6-9 \quad 7-8 \quad 7-10 \quad 8-9 \quad 8-12 \quad 9-15 \quad 10-11 \quad 11-11 \quad 11-1$ 

## L1 STRUCTURE UPLOADED

=> d l1 L1 HAS NO ANSWERS L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11

SAMPLE SEARCH INITIATED 12:05:59 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 194 TO ITERATE

100.0% PROCESSED 194 ITERATIONS 1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\* BATCH \*\*COMPLETE\*\*

3045 TO PROJECTED ITERATIONS: 4715 PROJECTED ANSWERS: 1 TO 8.0

L2 1 SEA SSS SAM L1

=> s 11 ful

FULL SEARCH INITIATED 12:06:05 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 4351 TO ITERATE

100.0% PROCESSED 4351 ITERATIONS 18 ANSWERS

SEARCH TIME: 00.00.01

18 SEA SSS FUL L1 L3

=> file caplus

COST IN U.S. DOLLARS SINCE FILE TOTAL

SESSION ENTRY

FULL ESTIMATED COST 178.36 178.57

FILE 'CAPLUS' ENTERED AT 12:06:15 ON 15 JUN 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Jun 2008 VOL 148 ISS 25 FILE LAST UPDATED: 13 Jun 2008 (20080613/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

## http://www.cas.org/legal/infopolicy.html

=> s 13

L4 15 L3

=> d abs fbib hitstr 1-15

L4 ANSWER 1 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

$$[R]_3 \xrightarrow{A} [N]_{\text{R2}} [R3]_2$$

$$[R3]_3 \xrightarrow{A} [R2]_{\text{R3}} [R4]_2$$

The title compds. I [one of X1-X3 = S, and the other two represent C or N atoms; ring A = 6-10 membered aryl, 5-13 membered heteroaryl or partially aromatic heterocyclyl; R1 = H, halo, OH, CO2H, etc.; R2, R3 = H, alkyl, haloalkyl, etc.; n = 2-4; R4 = H, halo, S(alkyl), CN, etc.], that are useful for treating atherosclerosis, dyslipidemias and the like, were prepared and disclosed. E.g., a multi-step synthesis of II, starting from 3-(2-naphthyl)acrylic acid, was given. Compds. I generally have an IC50 in the 3H-nicotinic acid competition binding assay within the range of 1 nM to about 25  $\mu$ M. Also compds. I generally have an EC50 in the functional in vitro GTP $\gamma$ S binding assay within the range of about less than 1  $\mu$ M to as high as about 100  $\mu$ M. Pharmaceutical compns. comprising the compound I alone or in combination with DP receptor antagonist, are also included.

- AN 2007:1204726 CAPLUS Full-text
- DN 147:486319
- TI Preparation of N-(2-carboxythienyl) amides as niacin receptor agonists
- IN Colletti, Steven L.; Tata, James R.; Chen, Weichun; Beresis, Richard T.; Ding, Fa-Xiang; Schmidt, Darby Rye; Shen, Hong; Raghavan, Subharekha
- PA Merck & Co., Inc., USA
- SO PCT Int. Appl., 58pp.

CODEN: PIXXD2

DT Patent LA English

FAN.CNT 1

	PAT	TENT :	NO.			KIN	D	DATE			APPL	ICAT	ION I	NO.		D	ATE	
ΡI	WO	2007	 1205	 75		A2	_	2007	1025	1	WO 2	007-	 US85	84		2	0070	406
		W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BH,	BR,	BW,	BY,	BZ,	CA,
			CH,	CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FΙ,	GB,
			GD,	GE,	GH,	GM,	GT,	HN,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KM,
			KN,	KP,	KR,	KΖ,	LA,	LC,	LK,	LR,	LS,	LT,	LU,	LY,	MA,	MD,	ME,	MG,
			MK,	MN,	MW,	MX,	MY,	MZ,	NA,	NG,	NI,	NO,	NZ,	OM,	PG,	PH,	PL,	PT,
			RO,	RS,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SM,	SV,	SY,	ТJ,	TM,	TN,	TR,
			TT,	TZ,	UA,	UG,	US,	UZ,	VC,	VN,	ZA,	ZM,	ZW					
		RW:	AT,	BE,	ВG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	HU,	ΙE,
			IS,	ΙT,	LT,	LU,	LV,	MC,	MT,	NL,	PL,	PT,	RO,	SE,	SI,	SK,	TR,	BF,
			ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,	MR,	ΝE,	SN,	TD,	TG,	BW,
			GH,	GM,	ΚE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	ΑZ,
	BY, KG, K			KΖ,	MD,	RU,	ТJ,	TM										
										1	US 2	006-	7910	19P		P 2	0060	411

OS MARPAT 147:486319

IT 688356-96-9 688357-16-6 688357-17-7

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (co-drug; preparation of N-(2-carboxythienyl) amides as niacin receptor agonists)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-

L4 ANSWER 2 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

Title compds. I [X = C or N; Z = (un)substituted aryl or heteroaryl; R1 independently = H, halo, CO2H, CN, etc.; R2 and R3 independently = H, alkyl, haloalkyl, alkoxy, etc.; R4 = H, F, or (un)substituted alkyl; R5 = CO2H, tetrazole, or CONHSO2R6 wherein R6 = (un)substituted alkyl or phenyl; m and p = 1 or 2 such that their sum = 3; n = 2-4; A = 6-10 membered ], as well as their pharmaceutically acceptable salts are prepared and disclosed as useful for treating atherosclerosis, dyslipidemias and the like. Thus, e.g., II was prepared by conversion of 3-(4- bromophenyl)propionic acid to the amide with N-hydroxysuccinimide followed by reaction with triflate III to form the 4-bromophenylpropionamide derivative which was coupled with 4-hydroxyphenylboronic acid and hydrolyzed to give the desired product. In the 3H-nicotinic acid competition binding assay, I demonstrated IC50 values ranging from 1 nM to about 25  $\mu$ M. Pharmaceutical compns. and methods of use are also included.

AN 2007:912171 CAPLUS Full-text

DN 147:277179

TI Preparation of carboxamidocyclohexenylcarboxylic acids derivatives as niacin receptor agonists, compositions containing such compounds and methods of treatment

IN Raghavan, Subharekha; Schmidt, Darby Rye; Colletti, Steven L.; Smenton, Abigail Lee

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 96pp. CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PAT	CENT		KINI	)	DATE			APPL	ICAT	ION	NO.		D	ATE			
							_											
ΡI	WO	2007	0923	64		A2		2007	0816	1	WO 2	007-1	JS29	94		2	00702	202
		W:	ΑE,	AG,	AL,	AM,	AT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
			GE,	GH,	GM,	GT,	HN,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	ΚM,	KN,
			KP,	KR,	KΖ,	LA,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,
			MN,	MW,	MX,	MY,	MZ,	NA,	NG,	NI,	NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,
			RS,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SM,	SV,	SY,	ΤJ,	TM,	TN,	TR,	TT,

TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM

US 2006-765853P P 20060207

OS MARPAT 147:277179

IT 688357-16-6 688357-17-7

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(claimed co-drugs for administration; preparation of cyclohexylcarboxylates as niacin receptor agonists)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

L4 ANSWER 3 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

$$Q \xrightarrow{\mathbb{N}} H \xrightarrow{\mathbb{N}} (\mathbb{R}^4) 3$$

$$\mathbb{N} H_2 \xrightarrow{\mathbb{N}} \mathbb{N} H_2$$

- Title compds. [I; Q = (R1)3A[C(Ra)2]xCRb(NR2R3)(CHRc)y; A = aryl, heteroaryl; B = atoms to form Ph, thienyl, cyclohexenyl ring; R1 = H, halo, OH, CO2H, cyano, NH2, CORe, aminoalkyl, CONH2, (substituted) Ph, heteroaryl, etc.; Re = (substituted) alkyl, Ph; Ra, Rb, RC = H, alkyl, haloalkyl; R2, R3 = H, alkyl, haloalkyl; R4 = H, halo, (substituted) alkyl, aryl, heteroaryl, heterocyclyl, etc.; 1 of x, y = 0, the other = 1], were prepared Thus, N-(tertbutoxycarbonyl)-3-(2-naphthyl)-L-alanine in CH2Cl2 at -10° was treated with DCC, HOBT, and Et 2-aminobenzoate followed by stirring for 12-24 h to give a residue which was treated with KOH in THF/MeOH/H2O and then with CF3CO2H in CH2Cl2 to give title compound (II). I in the functional in vitro GTP $\gamma$ S binding assay showed EC50 values of about 1-100  $\mu$ M.
- AN 2007:728973 CAPLUS Full-text
- DN 147:143658
- TI Preparation of (hetero)aryl amino acid amides as niacin receptor agonists for treatment of atherosclerosis, dyslipidemia, diabetes, and metabolic syndrome.
- IN Imbriglio, Jason; Colletti, Steven L.; Tata, James R.; Beresis, Richard T.; Marley, Daria; Raghavan, Subharekha; Schmidt, Darby Rye; Lins, Ashley Rouse; Smenton, Abigail L.; Chen, Weichun; Shen, Hong; Ding, Fa-Xiang; Bodner, Rena
- PA Merck & Co., Inc., USA
- SO PCT Int. Appl., 78pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PAT	ENT :	NO.			KIN	D	DATE			APPL	ICAT	ION I	. O <i>l</i> .		D.	ATE	
ΡI	WO	2007	 0757	 49		A2	_	2007	0705	1	——— WO 2	 006-1	US48	 535		2	0061	
		W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
			GE,	GH,	GM,	GT,	HN,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	ΚM,	KN,
			KP,	KR,	KΖ,	LA,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,
			MN,	MW,	MX,	MY,	MΖ,	NA,	NG,	NΙ,	NO,	NΖ,	OM,	PG,	PH,	PL,	PT,	RO,
			RS,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SM,	SV,	SY,	ΤJ,	TM,	TN,	TR,	TT,
			TZ,	UA,	UG,	US,	UZ,	VC,	VN,	ZA,	ZM,	ZW						
		RW:	ΑT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FΙ,	FR,	GB,	GR,	HU,	IE,
			IS,	IT,	LT,	LU,	LV,	MC,	NL,	PL,	PT,	RO,	SE,	SI,	SK,	TR,	BF,	ВJ,
			CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,	MR,	NE,	SN,	TD,	TG,	BW,	GH,
			GM,	KΕ,	LS,	MW,	MZ,	NΑ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	ΑM,	ΑZ,	BY,
			KG,	KΖ,	MD,	RU,	ТJ,	TM										
										1	US 2	005-	7518	77P	]	P 2	0051	220

- OS MARPAT 147:143658
- IT 688356-96-9 688357-16-6 688357-17-7
  - RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (coadministration; preparation of (hetero)aryl amino acid amides as niacin receptor agonists for treatment of atherosclerosis, dyslipidemia, diabetes, and metabolic syndrome)
- RN 688356-96-9 CAPLUS
- CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

$$\begin{array}{c} \text{Cl} \\ \text{i-Pr} \\ \text{N} \end{array}$$

ANSWER 4 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

L4 GI

$$(R^1)3A$$
 $Y$ 
 $Z$ 
 $W$ 
 $(R^3)2$ 
 $I$ 
 $HO$ 
 $S$ 
 $CO_2H$ 
 $II$ 

Title compds. [I; 1-3 of W, X, Z = heteroatoms, the other = C; Y = C, N; 0-1 of W, X, Z = O, S, the remainder of W, X, Z = C, N; ring containing W, X, Y, Z is aromatic; A = 9-10 membered aryl, 8-10 membered heteroaryl, partially aromatic heterocyclyl; R1 = H, OH, halo, cyano, (substituted) alkyl, alkenyl, alkynyl, etc.; R2 = H, (substituted) alkyl, alkenyl; R3 = H, halo, Me, halomethyl; dotted lines = optional double bonds, either both present or both absent], were prepared Thus, title compound (II) was prepared from 4-bromo-3-methylthiophene-2-carboxylic acid, 6-hydroxy-2-naphthylboronic acid, and anthranilic acid. In a 3H-nicotinic acid competition binding assay, I showed IC50's of about 10 nM-25  $\mu$ M.

AN 2007:351935 CAPLUS Full-text

DN 146:379811

TI Preparation of heterocyclylcarbonylaminobenzoic acids as niacin receptor agonists

IN Colletti, Steven L.; Imbriglio, Jason E.; Beresis, Richard Thomas; Frie, Jessica Leslie

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 54pp. CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

r an .		IENT :	NO.			KIN	D	DATE			APPL	ICAT	ION 1	NO.		D.	ATE	
ΡI	_	2007		-		A2	_	2007		1	wo 2	006-	JS36	023		2	0060	915
	WO	2007	0354	/8		A3		2007	1122									
		W:	ΑE,	AG,	AL,	ΑM,	ΑT,	ΑU,	ΑZ,	ΒA,	BB,	ВG,	BR,	BW,	BY,	ΒZ,	CA,	CH,
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
			GE,	GH,	GM,	HN,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KM,	KN,	KP,
			KR,	KΖ,	LA,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,	MN,
			MW,	MX,	MY,	MZ,	NA,	NG,	NI,	NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RS,
			RU,	SC,	SD,	SE,	SG,	SK,	SL,	SM,	SV,	SY,	IJ,	TM,	TN,	TR,	TT,	TZ,
						•		VN,		•	•	•	•	,	•	·	ŕ	•
		RW:	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	HU,	IE,
								MC,										
			•	•	•	•	•	GN,	•		•			•		•		
			GM,	KE.	LS,	MW.	MZ.	NA,	SD.	SL,	SZ,	TZ,	UG,	ZM.	ZW.	AM.	AZ,	BY,
						•		TM,		•	•		,	,	,	,	,	,
			- ,	,	,	- ,	- ,	,	,	•	US 2		7186.	22P		P 2	0050	920
	AU 2006292559					A1		2007	0329		AU 2						0060	-
	HU 2000292339							_ 0 0 ,			US 2						0050	
											WO 2						0060	
											W 2	000-	0000	023		v	0000	7 1 0

OS MARPAT 146:379811

IT 688356-96-9 688357-16-6 688357-17-7

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (coadministration; preparation of heterocyclylcarbonylaminobenzoic acids as niacin receptor agonists)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

ANSWER 5 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

$$(R?)3-B-D-X$$

$$R?$$

$$R?$$

$$R?$$

$$R?$$

$$R?$$

$$R?$$

$$II$$

AB Title compds. I [wherein X = C or N; D = bond, O, CH2, CH2CH2 or CH2CH2CH2; B = (hetero)aryl; B' = H or absent; B and B' can be taken together to form a spiro ring while D = bond; Ra = H, halo, OH, etc.; Rb = H, halo, alkyl, etc.; Rc = COOH or tetrazol-5-yl; R4 = H, halo or (halo)methyl, with limitations] or pharmaceutically acceptable salts and solvates were prepared as niacin receptor agonists. Solid-phase synthesis of I such as II on Wang resin was disclosed. The invented compds. generally have EC50 in the range of 1  $\mu$ M to 100  $\mu$ M for niacin receptor in the binding assay. I are useful for the treatment of atherosclerosis, dyslipidemia, diabetes and other conditions.

AN 2007:259556 CAPLUS Full-text

DN 146:316951

TI Preparation of piperazinecarboxamides, diazepanecarboxamides and their analogs as niacin receptor agonists for the treatment of atherosclerosis, dyslipidemia and diabetes

IN Colletti, Steven L.; Shen, Hong; Tata, James R.; Szymonifka, Michael J.

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 55pp. CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PAT	CENT 1	NO.			KIN	)	DATE			APPL	ICAT	ION I	NO.		D.	ATE	
ΡI	WO	2007	0275	32		A2	_	2007	0308	1	——— WO 2	006-	US33.	304		2	0060	825
		W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FΙ,	GB,	GD,
			GE,	GH,	GM,	HN,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KM,	KN,	KP,
			KR,	KΖ,	LA,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,	MN,
			MW,	MX,	MY,	MZ,	NA,	NG,	NI,	NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RS,
			RU,	SC,	SD,	SE,	SG,	SK,	SL,	SM,	SV,	SY,	ΤJ,	TM,	TN,	TR,	TT,	TZ,
		UA, UG, U			US,	UZ,	VC,	VN,	ZA,	ZM,	ZW							
		RW: AT, BE, B		BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FΙ,	FR,	GB,	GR,	HU,	ΙE,	
			IS,	IT,	LT,	LU,	LV,	MC,	NL,	PL,	PT,	RO,	SE,	SI,	SK,	TR,	BF,	ВJ,
			CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,	SN,	TD,	TG,	BW,	GH,
			GM,	ΚE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	ΑM,	AZ,	BY,
			KG,	KΖ,	MD,	RU,	ΤJ,	TM										
										1	US 2	005-	7122	75P	I	P 2	0050	829
	ΑU	2006	2850	64		A1		2007	0308		AU 2	006-	2850	64		2	0060	825
		.U 2006285064								1	US 2	005-	7122	75P	I	P 2	0050	829
										1	WO 2	006-1	US33.	304	I	W 2	0060	825
	CA 2620570					A1		2007	0308	(	CA 2	006-	2620	570		2	0060	825
	CH 2020070									1	US 2	005-	7122	75P	]	P 2	0050	829
										1	WO 2	006-	US33	304	Ī	W 2	0060	825

IT 688356-96-9 688357-16-6 688357-17-7

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (co-drug; preparation of piperazinecarboxamides, diazepanecarboxamides and their analogs as niacin receptor agonists for treatment of atherosclerosis, dyslipidemia and diabetes)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

Title compds. I [X = CH2, O, S, etc.; a, b = 1-3 such as a + b = 2-4; ring A = AΒ aryl, heteroaryl, partially aromatic heterocyclic group, said heteroaryl and partially aromatic heterocyclic group containing at least one heteroatom selected from O, S, SO, etc., and optionally containing 1 other heteroatom selected from O and S, and optionally containing 1-3 addnl. N atoms, with up to 5 heteroatoms being present; R2, R3 = H, alkyl, haloalkyl, etc.; n = 1-5; R4 = H, halo, R6; R6 = alkyl optionally substituted with 1-3 groups, 0-3 of which are halo, and 0-1 of which are selected from the group consisting of 0alkyl, hydroxy, amino, etc.; R5 = -CO2H, tetrazol-5-yl, etc.; R1 = H, halo, hydroxy, etc.], pharmaceutically acceptable salts or solvates thereof were prepared For example, reaction of 3-(naphthalen-2-yl)propionic acid with methanesulfonyl chloride followed by in-situ treatment with Me 2aminocyclohex-2-ene-1-carboxylate and hydrolysis using NaOH afforded compound II. The invented compds. generally have an IC50 in the 3H-nicotinic acid competition binding assays within the range of 1 nM to about 25  $\mu M$ , and have an EC50 in the functional in vitro GTPyS binding assays within the range of about  $1-100 \mu M$ .

AN 2006:1356948 CAPLUS Full-text

DN 146:100362

TI Preparation of 2-acylaminocycloalkenecarboxylic acids derivatives as niacin receptor agonists

IN Raghavan, Subharekha; Colletti, Steven L.; Ding, Fa-Xiang; Shen, Hong; Tata, James R.; Lins, Ashley Rouse; Smenton, Abigail Lee; Chen, Weichun; Schmidt, Darby Rye; Tria, George Scott

PA USA

SO U.S. Pat. Appl. Publ., 69pp. CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

	PAT	FENT	NO.			KINI	)	DATE		1	APF	PLI	CAT	ION I	NO.			DATE	
							-												
ΡI	US	2006	02933	364		A1		2006	1228	1	US	20	06-4	4746	46			20060	1626
										1	US	20	05-6	6947	11P		P	20050	1628
	AU	2006	26183	39		A1		2007	0104		AU	20	06-2	2618	39			20060	626
										1	US	20	05-6	6947	11P		P	20050	628
										1	WO	20	06-t	JS24	740		W	20060	1626
	CA	2611	552			A1		2007	0104	(	CA	20	06-2	2611.	552			20060	1626
										1	US	20	05-6	5947	11P		P	20050	1628
										1	WO	20	06-t	JS24	740		W	20060	1626
	WO	2007	0025	57		A1		2007	0104	1	WO	20	06-t	JS24	740			20060	1626
		W:	ΑE,	AG,	AL,	AM,	AT,	AU,	ΑZ,	BA,	BE	3, ]	BG,	BR,	BW,	BY,	BZ	Z, CA,	CH,

```
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
             KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN,
             MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU,
             SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG,
             US, UZ, VC, VN, ZA, ZM, ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
             CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
             GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM
                                            US 2005-694711P
                                                                P 20050628
     EP 1901731
                                20080326
                                            EP 2006-785553
                          Α1
                                                                   20060626
         R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, HR
                                            US 2005-694711P
                                                               P 20050628
                                            WO 2006-US24740
                                                                W 20060626
     KR 2008019653
                                20080304
                                            KR 2007-730918
                          Α
                                                                   20071228
                                                                P 20050628
                                            US 2005-694711P
                                            WO 2006-US24740
                                                                W 20060626
    MARPAT 146:100362
OS
     688356-96-9 688357-16-6 688357-17-7
ΙT
     RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
        (medicaments with; preparation of 2-acylaminocycloalkenecarboxylic acids as
       niacin receptor agonists)
RN
     688356-96-9 CAPLUS
```

6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-

7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

Cl Cl CH2—CO2H

CN

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-

L4 ANSWER 7 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

$$\mathbb{R}^{2}$$
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{2}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{1}$ 
 $\mathbb{R}^{2}$ 

AB Title compds. represented by the formula I [wherein R1 = (un)substituted cyclohexyl, Ph or heteroaryl; R2 = tetrazol-5-yl, 2,4-dioxo-oxazol-5-yl or CO2R; R = H or alkyl; n = 1 or 2; and pharmaceutically acceptable salts or solvates thereof] were prepared as Niacin receptor agonists. For example, II was provided in a multi-step synthesis starting from 3-ethoxy cyclopentenone. Certain I an IC50 in the niacin binding assay within the range of about 0.010-50  $\mu$ M, and have an EC50 in the functional GTP $\gamma$ S binding assay within the range of about 0.010-100 1M. Thus, I and their pharmaceutical compns. are useful as Niacin receptor agonists for the treatment of dyslipidemias (no data).

AN 2006:1124674 CAPLUS Full-text

DN 145:455008

TI Preparation of pyrazole derivatives as Niacin receptor agonists

IN Imbriglio, Jason E.; Colletti, Steven L.; Tata, James R.; Liang, Rui; Raghavan, Subharekha; Schmidt, Darby R.; Smenton, Abigail R.; Chan, Sook Yee

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 83pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PA7	PATENT NO.					)	DATE		i	APPL:	ICAT	ION 1	. O <i>V</i>		D	ATE	
							_											
ΡI	WO	WO 2006113150 W: AE, AG, AL				A1		2006	1026	Ī	WO 2	006-	JS12	876		2	00604	407
		W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KM,	KN,	KΡ,	KR,
			KΖ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,	MN,	MW,	MX,

```
MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,
        SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
        VN, YU, ZA, ZM, ZW
    RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
        IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
        CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
        GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
        KG, KZ, MD, RU, TJ, TM
                                       US 2005-670764P
                                                           P 20050413
AU 2006236939
                     Α1
                           20061026
                                       AU 2006-236939
                                                              20060407
                                                           P 20050413
                                       US 2005-670764P
                                       WO 2006-US12876
                                                           W 20060407
CA 2603757
                     Α1
                           20061026
                                       CA 2006-2603757
                                                               20060407
                                       US 2005-670764P
                                                              20050413
                                                           P
                                       WO 2006-US12876
                                                           W 20060407
EP 1874301
                     Α1
                           20080109
                                       EP 2006-740649
                                                              20060407
    R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
        IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR
                                                           P 20050413
                                       US 2005-670764P
                                       WO 2006-US12876
                                                           W 20060407
IN 2007CN04216
                                       IN 2007-CN4216
                           20071221
                                                              20070924
                     Α
                                       US 2005-670764P
                                                           P 20050413
                                       WO 2006-US12876
                                                           W 20060407
CN 101160125
                     Α
                           20080409
                                       CN 2006-80012066
                                                              20071012
                                       US 2005-670764P
                                                           P 20050413
                                                           W 20060407
                                       WO 2006-US12876
MARPAT 145:455008
```

OS

RN

688356-96-9P 688357-16-6P 688357-17-7P ΙT

> RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyrazole derivs. as Niacin receptor agonists) 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-CN dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

IT 688357-25-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of pyrazole derivs. as Niacin receptor agonists)

RN 688357-25-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, ethyl ester (CA INDEX NAME)

RE.CNT 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 8 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

AB A method of treating atherosclerosis is disclosed wherein nicotinic acid or another nicotinic acid receptor agonist is administered to the patient in combination with a DP (prostaglandin D2) receptor antagonist. E.g, I was prepared by a series of reactions starting from 4-chloronicotinaldehyde. The compds. prepared function as selective DP antagonists and demonstrate an affinity for DP that is at least about 10 times higher than the affinity for CRTH2 receptors.

AN 2006:844718 CAPLUS Full-text

DN 145:271745

TI Preparation of pyridoindolizine and pyridoindole derivatives for treating atherosclerosis, dyslipidemias and related conditions

IN Fitzpatrick, Shaun; Seiler, Christian; Hardy, Ian; Waters, M., Gerard; Lai, Eseng

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 66pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

11111	PA:	TENT :	NO.			KIN	D	DATE			APPL	ICAT	ION :	NO.		D.	ATE	
ΡΙ		2006 2006				A2 A3		2006 2007			 WO 2	006-	 US69	51		2	0060	215
		W: RW:	CN, GE, KZ, MZ, SG, VN, AT, IS, CF,	CO, GH, LC, NA, SK, YU, BE, IT, CG, KE,	CR, GM, LK, NG, SL, ZA, BG, LT, CI, LS,	CU, HR, LR, NI, SM, ZM, CH, LU, CM,	CZ, HU, LS, NO, SY, ZW CY, LV, GA, MZ,	AU, DE, ID, LT, NZ, TJ, CZ, MC, GN, NA, TM,	DK, IL, LU, OM, TM, DE, NL, GQ, SD,	DM, IN, LV, PG, TN, DK, PL, GW, SL,	DZ, IS, LY, PH, TR, EE, PT, ML, SZ,	EC, JP, MA, PL, TT, ES, RO, MR, TZ,	EE, KE, MD, PT, TZ, FI, SE, NE,	EG, KG, MG, RO, UA, FR, SI, SN,	ES, KM, MK, RU, UG, GB, SK, TD,	FI, KN, MN, SC, US, GR, TR,	GB, KP, MW, SD, UZ, HU, BF, BW,	GD, KR, MX, SE, VC, IE, BJ, GH,
	AU	2006	KG, KZ, MD, 2006214018			A1		2006	0824		AU 2 US 2	005- 006- 005- 006-	2140 6547	18 03P		2 P 2	0050; 0060; 0050; 0060;	215 217
	CA	2598273				A1		2006	0824		CA 2 US 2	006- 005- 006-	2598 6547	273 03P	:	2 P 2	0060: 0060: 0050:	215 217
	EP	1855649 R: AT, BE, BG IS, IT, LI BA, HR, MK			LI,	LT,	CY,		DE,	DK,	EP 2 EE,	006- ES,	7210 FI,	98 FR,		2 GR,	0060: HU,	215 IE,

			US 2005-654703P P 20050217	US 2005-654703P	7
			WO 2006-US6951 W 20060215	WO 2006-US6951	5
US 20080139604	A1	20080612	US 2007-795484 20070718	US 2007-795484	8
			US 2005-654703P P 20050217	US 2005-654703P	7
			WO 2006-US6951 W 20060215	WO 2006-US6951	5
IN 2007CN03290	А	20071109	IN 2007-CN3290 20070726	IN 2007-CN3290	6
			US 2005-654703P P 20050217	US 2005-654703P	7
			WO 2006-US6951 W 20060215	WO 2006-US6951	5
CN 101189011	А	20080528	CN 2006-80005127 20070816	CN 2006-80005127	6
			US 2005-654703P P 20050217	US 2005-654703P	7
			WO 2006-US6951 W 20060215	WO 2006-US6951	5

IT 887146-42-1P 887146-43-2P

RL: PAC (Pharmacological activity); PUR (Purification or recovery); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent)

(preparation of pyridoindolizine and pyridoindole derivs for treating atherosclerosis, dyslipidemias and related conditions)

RN 887146-42-1 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (8S)- (CA INDEX NAME)

Absolute stereochemistry.

RN 887146-43-2 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (8R)- (CA INDEX NAME)

Absolute stereochemistry.

## IT 688356-96-9P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of pyridoindolizine and pyridoindole derivs for treating atherosclerosis, dyslipidemias and related conditions)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

IT 688357-16-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyridoindolizine and pyridoindole derivs for treating atherosclerosis, dyslipidemias and related conditions)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

IT 688357-25-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of pyridoindolizine and pyridoindole derivs for treating atherosclerosis, dyslipidemias and related conditions)

RN 688357-25-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, ethyl ester (CA INDEX NAME)

The invention relates to certain fused pyrazole derivs. of formula I, and AΒ pharmaceutically acceptable salts thereof, which exhibit useful pharmacol. properties, for example, as agonists for the RUP25 receptor. Compds. of formula I wherein X is N, and Z is CR7, or X is CR7 and Z is N; one dotted lines are single and double bonds such that the ring containing X and Z is a pyrazole ring; R1 - R6 are independently H, C1-6 acyl(oxy), C2-6 alkenyl, C1-6 alkoxy, C1-6 alkyl(amino), C1-6 alkyl(thio)carboxamide, C2-6 alkynyl, etc.; R7 is carbo-C1-6 alkoxy, carboxy, or tetrazol-5-yl; and their pharmaceutically acceptable salts, hydrates, or solvates thereof are claimed. Also provided by the invention are pharmaceutical compns. containing compds. of the invention, and methods of using the compds. and compns. of the invention in the treatment of metabolic-related disorders, including dyslipidemia, atherosclerosis, coronary heart disease, insulin resistance, type 2 diabetes, Syndrome-X and the like. In addition, the invention also provides for the use of the compds. of the invention in combination with other active agents such as those belonging to the class of  $\alpha$ -glucosidase inhibitors, aldose reductase inhibitors, biquanides, HMG-CoA reductase inhibitors, squalene synthesis inhibitors, fibrates, LDL catabolism enhancers, angiotensin converting enzyme (ACE) inhibitors, insulin secretion enhancers, DP receptor antagonists, and the like. Example compound II was prepared by cyclization of (R)-2-(3butenyl)oxirane; the resulting bicyclo[3.2.1]hexan-2-ol underwent oxidation of give bicyclo[3.2.1]hexane-2-one, which underwent cyclization with di-Et oxalate and hydrazine to give 1a, 2, 5, 5a-tetrahydro-1H-2, 3diazacyclopropa[a]pentalene-4-carboxylic acid Et ester, which underwent amidation with ammonium hydroxide to give the corresponding amide, which benzylation with benzyl bromide followed by dehydration to give 2-benzyl-1a, 2, 5, 5a-tetrahydro-1H-2, 3-diazacyclopropa[a]pentalene-4- carbonitrile, which reacted with sodium azide to give 2-Benzyl-4-(2H- tetrazol-5-yl)-1a,2,5,5atetrahydro-2,3-diazacyclopropa[a]pentalene, which underwent debenzylation to give example compound II. All the invention compds. were evaluated for their antihyperglycemic activity, and 35S-GTPyS, human RUP25, and 3H-nicotinic acid receptor binding affinities. Certain compds. were determined to have an EC50 value in the cAMP whole cell method of about 25  $\mu M$  or less. From the in vitro GTPyS binding assay, it was determined that tested compds. exhibited EC50 values in the range of about  $1-100~\mu\text{M}$ , and the best compds. showed an EC50 value of less than about 1  $\mu M$ . Certain tested compds. have an EC50 in the 3Hnicotinic acid binding competition assay, in the range of 1 to 100  $\mu M$  , and the most favorable compds. exhibited an EC50 value of less than about 1  $\mu M$ .

DN 145:103670

- Fused pyrazole derivatives and their preparation, pharmaceutical compositions, and methods for treatment of metabolic-related disorders
- Boatman, Douglas P.; Schrader, Thomas O.; Semple, Graeme; Skinner, Philip IN J.; Jung, Jae-Kyu
- PA Arena Pharmaceuticals, Inc., USA

SO DT LA	COI Pat Eng	I Int DEN: 1 tent glish			170	pp.		,										
FAN.		IENT 1	NO.			KIN		DATE		-	APP]	LICAT	ION :	NO.		]	DATE	
ΡI		2006				A2 A3		2006 2006	0629	,	WO :	2005-	 US46	 599		:	20051	222
		W:	CN, GE, KZ, MZ, SG,	CO, GH, LC, NA, SK,	CR, GM, LK, NG,	CU, HR, LR, NI, SM,	CZ, HU, LS, NO, SY,	DE, ID, LT, NZ,	DK, IL, LU, OM,	DM, IN, LV, PG,	DZ, IS, LY, PH,	, BG, , EC, , JP, , MA, , PL, , TT,	EE, KE, MD, PT,	EG, KG, MG, RO,	ES, KM, MK, RU,	FI KN MN SC	, GB, , KP, , MW, , SD,	GD, KR, MX, SE,
		R₩:	IS, CF, GM,	IT, CG, KE,	LT, CI,	LU, CM, MW,	LV, GA, MZ,	MC, GN, NA,	NL, GQ,	PL, GW, SL,	PT, ML, SZ,	, ES, , RO, , MR, , TZ,	SE, NE, UG,	SI, SN, ZM,	SK, TD, ZW,	TR TG AM	BF, BW, AZ,	BJ, GH, BY,
	AU	2005	3191	21		A1		2006	0629	· ·	US 2 AU 2 US 2 US 2	2004- 2005- 2005- 2004- 2005- 2005-	6765 3191 6386 6765	21P 21 68P 21P	] ] ]	P : P : P :	20041 20050 20051 20041 20050 20051	429 222 223 429
	CA	2589	648			A1		2006	0629		CA : US :	2005- 2004- 2005- 2005-	2589 6386 6765	648 68P 21P	]	: P : P :	20051 20051 20041 20050 20051	222 223 429
		2006 7241		955		A1 B2		2006 2007			US 2	2005- 2004-	3157	53		:	20051	222
	ΕP	1831: R:	AT, IS,	IT,		LT,			DE,	DK,	US 2 EP 2 EE, PL,	2005- 2005- , ES, , PT,	6765 8571 FI, RO,	21P 82 FR, SE,	GB, SI,	P : GR SK	20050 20051 , HU, , TR,	429 222 IE, AL,
	CN	1010	8776	5		А		2007	1212	,	US 2 WO 2 CN 2	2004- 2005- 2005- 2005- 2004-	6765 US46 8004	21P 599 4454	]	P :	20041 20050 20051 20051 20041	429 222 222
	US	2007	0073	062		A1		2007	0329	•	US 2 WO 2 US 2	2005- 2005- 2006- 2004-	6765 US46 6011 6386	21P 599 84 68P	1	P : W : P :	20050 20051 20061 20041	429 222 117 223
	IN	20071	KN02	303		А		2007	0817		US 2 IN 2 US 2	2005- 2005- 2007- 2004- 2005-	3157 KN23 6386	53 03 68P	<i>1</i>	A1 : : P :	20050 20051 20070 20041 20051	222 621 223
	NO	2007	0037	66		A		2007	0921			2005-			,		20031	

		US	2004-638668P	P	20041223
		US	2005-676521P	P	20050429
		WO	2005-US46599	W	20051222
A	20070829	KR	2007-716787		20070720
		US	2004-638668P	P	20041223
		US	2005-676521P	P	20050429
		WO	2005-US46599	W	20051222
	A	A 20070829	US WO A 20070829 KR US US	US 2004-638668P US 2005-676521P WO 2005-US46599 A 20070829 KR 2007-716787 US 2004-638668P US 2005-676521P WO 2005-US46599	US 2005-676521P P WO 2005-US46599 W A 20070829 KR 2007-716787 US 2004-638668P P US 2005-676521P P

OS MARPAT 145:103670

IT 688356-96-9P 688357-16-6P 688357-17-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of fused pyrazole derivs. and methods for treatment of metabolic-related disorders)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

L4 ANSWER 10 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

The invention is related to biaryls I [Y = C, N; Z = C(RaRb)n; Ra, Rb =AΒ independently H, alkyl, OH, F, etc.; n = 1-5; R1 = CO2H, 1H-tetrazol-5-yl, CONHSO2Rc; Rc = (un) substituted alkyl, Ph; X10' = (X10)0-1; X1' = (X1)0-1' X1-X10 = C, or a heteroatom selected from O, S, and N, with provisos; each R2 =H, F, Cl, Br, I, alkyl, heterocyclyl, etc.; or two R2 groups taken together can form a fused Ph or fused heterocycle with ring B; each R3 = H, halo, halo/alkyl, halo/alkoxy, etc.; each R4 = H, halo, Me, etc.], as well as pharmaceutically acceptable salts, solvates, as niacin receptor agonists useful for treating atherosclerosis and dyslipidemias in combination with DP antagonists. The invention is also related to the preparation of DP antagonists. Pharmaceutical compns. comprising I are also included. Thus, anthranilide II was prepared by Pd-coupling of 3-(4-iodophenyl) propionic acid with phenylboronic acid, chlorination of biaryl propionic acid (no data) with SOC12, and amidation of acyl chloride (no data) with anthranilic acid. I have an EC50 in the functional assay in vitro GTPyS binding assay within the range of about less than 1  $\mu\text{M}$  to as high as about 100  $\mu\text{M}$ . Have an IC50 in the 3Hnicotinic acid competition binding assay within the range of 1 nM to about 25  $\mu M$ . Selected I do not exhibit measurable in vivo vasodilation in the murine flushing model at doses up to 100 mg/kg or 300 mg/kg in the presence of DP antagonists.

2006:513667 CAPLUS Full-text

ΑN

DN 145:27731

- TI Preparation of biaryl compounds, particularly N- (biarylpropionyl) anthranilides, as niacin receptor agonists and pyridoindolizine derivatives as DP receptor antagonists, their pharmaceutical compositions and their combination useful for treating atherosclerosis and dyslipidemias
- IN Colletti, Steven L.; Tata, James R.; Shen, Hong C.; Ding, Fa-Xiang; Frie,
   Jessica L.; Imbriglio, Jason E.; Chen, Weichun
- PA Merck & Co., Inc., USA
- SO PCT Int. Appl., 100 pp. CODEN: PIXXD2
- DT Patent
- LA English

FAN.CNT 1

F'AN.		TENT	NO.			KIN		DATE			APPL	ICAT	ION :	NO.		D.	ATE	
PI		2006 2006				A2 A3		2006 2006	0601		 WO 2	005-	 US41	962		2	0051	118
		W:	ΑE,	AG,	AL,	AM,	AT,	ΑU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
			CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KΕ,	KG,	KM,	KN,	KΡ,	KR,
			KΖ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,	MN,	MW,	MX,
								NΖ,										
			SG,	SK,	SL,	SM,	SY,	ΤJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,
			,	YU,														
		RW:						CZ,										
			•					MC,	•	•	•						•	•
				•	•	•		GN,				•		•	•			
								NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	ΑM,	AZ,	BY,
			KG,	KΖ,	MD,	RU,	ТJ,	TM										
						- 1		0000	0.00		US 2						0041	
	ΑU	2005309737				AΙ		2006	0601		AU 2						0051	
											US 2						0041	
	$C^{\Lambda}$	2587	207			A1		2006	0601		WO 2 CA 2						0051 0051	
	CA	2307	207			AI		2006	0001		US 2						0031	
											WO 2				,		0051	
	FD	1824	812			A2		2007	N 2 2 9		EP 2						0051	
	111	R:		BE.	BG.			CZ,							GB.			
		10.						LV,										,
			±0,	,	,	,	,	_ · ,	110,		US 2				υ±,		0041	123
											WO 2				,		0051	
	CN	1010	6109	2		А		2007	1024					9913			0051	
														81P			0041	123
														962			0051	
	IN	2007CN01774				Α		2007	0831		IN 2	007-	CN17	74		2	0070	430
		200,01101,,1									US 2	004-	6302	81P		P 2	0041	123
											WO 2	005-	US41	962	,	W 2	0051	118
	US	US 20070281969				A1		2007	1206		US 2	007-	7911	83		2	0070	517
		02 700/0701303									US 2	004-	6302	81P		P 2	0041	123
											WO 2	005-	US41	962	•	W 2	0051	118
~ ~	3 C 75 T		1 1 -	0770	-													

OS MARPAT 145:27731

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(DP receptor antagonist; preparation of biaryl compds. as niacin receptor agonists and pyridoindolizine derivs. as DP receptor antagonists and their combination useful for treating atherosclerosis and dyslipidemias)

IT 688356-96-9P 688357-16-6P 688357-17-7P

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

IT 688357-27-9P 688357-28-0P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of biaryl compds. as niacin receptor agonists and pyridoindolizine derivs. as DP receptor antagonists and their combination useful for treating atherosclerosis and dyslipidemias)

RN 688357-27-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (+)- (CA INDEX NAME)

Rotation (+).

RN 688357-28-0 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (-)- (CA INDEX NAME)

Rotation (-).

L4 ANSWER 11 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

AB A method of treating pathol. blushing is disclosed wherein the patient is administered a DP (prostaglandin D2) receptor antagonist. E.g, I was prepared by a series of reactions starting from 4-chloronicotinaldehyde. The compds. prepared function as selective DP antagonists and demonstrate an affinity for DP that is at least about 10 times higher than the affinity for CRTH2 receptors.

AN 2006:471897 CAPLUS <u>Full-text</u>

DN 144:488635

TI Preparation of compounds such as pyridoindolizine and indole derivatives as prostaglandin D2 antagonists for treating pathological blushing

IN Tobert, Jonathan A.; Lai, Eseng

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 40 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

r An.	PATENT NO.					KIND DAT			DATE APPLICATION NO.						DATE			
ΡI			2006052798			A2 20060518 A3 20070111				,	WO 2	005-		20051107				
	WO		006052798							D.7	DD	DO	DD	DII	DV	DE	0.7	011
		W:		•				AU,	•		•	•						•
			•	•	•	•	•	DE,	•	•	•	•	•	•	•	•	•	•
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KΜ,	KN,	KP,	KR,
			KΖ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,	MN,	MW,	MX,
			ΜZ,	NA,	NG,	ΝΙ,	NO,	NΖ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,
			SG,	SK,	SL,	SM,	SY,	ТJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,
			VN,	YU,	ZA,	ZM,	ZW											
		RW:	ΑT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FΙ,	FR,	GB,	GR,	HU,	IE,
			IS,	IT,	LT,	LU,	LV,	MC,	NL,	PL,	PT,	RO,	SE,	SI,	SK,	TR,	BF,	ВJ,
			CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,	SN,	TD,	ΤG,	BW,	GH,
			GM,	KE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	AZ,	BY,
			KG,	KZ,	MD,	RU,	ΤJ,	TM										
			•	,	•	•	•				US 2	004-	6258	23P	-	P 2	0041	108
	HS	2007	0299	122		A1		2007	1227	US 2007-667346						20070508		
	3.0	2007	0 - 0 - 0					2001	,			004-					0041	
												005-					0051	
											WU Z	005-	0540	тт/		w Z	0021	T U /

OS CASREACT 144:488635

IT 688356-96-9P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of compds. such as pyridoindolizine and indole derivs. as prostaglandin D2 antagonists for treating pathol. blushing)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

IT 688357-16-6P 688357-17-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of compds. such as pyridoindolizine and indole derivs. as prostaglandin D2 antagonists for treating pathol. blushing)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

$$\begin{array}{c} \text{Cl} \\ \text{i-Pr} \\ \text{N} \end{array}$$

IT 688357-25-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of compds. such as pyridoindolizine and indole derivs. as prostaglandin D2 antagonists for treating pathol. blushing)

RN 688357-25-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, ethyl ester (CA INDEX NAME)

IT 887146-42-1P 887146-43-2P

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of compds. such as pyridoindolizine and indole derivs. as prostaglandin D2 antagonists for treating pathol. blushing)

RN 887146-42-1 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (8S)- (CA INDEX NAME)

Absolute stereochemistry.

RN 887146-43-2 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (8R)- (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 12 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

$$B = (CR^{1}R^{2})_{n} \xrightarrow{0} \underset{H}{\overset{Y}{\underset{R3}{\bigvee}}} (R^{4})_{2}$$

AΒ The invention relates to niacin receptor agonists of formula I; as well as pharmaceutically acceptable salts and solvates. The compds. are useful for treating dyslipidemias, and in particular, reducing serum LDL, VLDL and triglycerides, and raising HDL levels. Pharmaceutical compns. and methods of treatment are also included. Compds. of formula I wherein Y is C or N; R1 and R2 are independently H, (halo)C1-3 alkyl(oxy), OC1-3 alkyl, OH, or F; R3 is Co2H, tetrazolyl, or CONHSO2H and derivs.; R4 is H, halo, or (halo)methyl; B is (un)substituted 10-membered bicyclic aryl, (un)substituted 9- to 10membered bicyclic heteroaryl, or (un)substituted 12- to 13-membered tricyclic heteroaryl; n is an integer from 1 to 4, such that when (CR1R2)n represent CH(Me)CH2, the ring B is (un)substituted bicyclic aryl; and their pharmaceutically acceptable salts and solvates thereof. Example compound II was prepared by amidation of 3-(1-naphthyl)acrylic acid with Me anthranilate followed by catalytic hydrogenation. All the invention compds. were tested for their niacin receptor affinity. From the assay, it was determined that most of the compds. in general exhibited in vitro EC50 values in the range of about 1  $\mu M$  to as high as about 100  $\mu M$ .

AN 2006:469551 CAPLUS Full-text

DN 144:488409

TI N-Acyl anthranilic acid and related compounds as niacin receptor agonists, and their preparation, pharmaceutical compositions and methods of treatment of dyslipidemias

IN Colletti, Steven L.; Beresis, Richard T.; Chen, Weichun; Tata, James R.;
 Shen, Hong C.; Marley, Daria M.; Deng, Qiaolin; Frie, Jessica L.; Ding,
 Fa-Xiang

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 125 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

PΙ

PAI	ENT I				KINI		DATE		APPLICATION NO.						DATE			
	2006052555 2006052555			A2 20060518					WO 2		20051030							
	W:	CN, GE, KZ, MZ,	CO, GH, LC, NA,	CR, GM, LK, NG,	CU, HR, LR, NI,	CZ, HU, LS, NO,	AU, DE, ID, LT, NZ,	DK, IL, LU, OM,	DM, IN, LV, PG,	DZ, IS, LY, PH,	EC, JP, MA, PL,	EE, KE, MD, PT,	EG, KG, MG, RO,	ES, KM, MK, RU,	FI, KN, MN, SC,	GB, KP, MW, SD,	GD, KR, MX, SE,	
	RW:	VN, AT, IS, CF,	YU, BE, IT, CG,	ZA, BG, LT, CI,	ZM, CH, LU, CM,	ZW CY, LV, GA,	TJ, CZ, MC, GN, NA,	DE, NL, GQ,	DK, PL, GW,	EE, PT, ML,	ES, RO, MR,	FI, SE, NE,	FR, SI, SN,	GB, SK, TD,	GR, TR, TG,	HU, BF, BW,	IE, BJ, GH,	
AU	KG, KZ, MD,			•	•	·		0518	US 2004-624816P						20051030 P 20041104			
CA	. 2586156			A1 20060518				US 2004-624816P						20051030				
EP	18092 R:	AT,	BE,	BG,	CH,	CY,	2007 CZ, LV,	DE,	DK, NL,	EE, PL, US 2	ES, PT, 004-	FI, RO, 62481	FR, SE, 16P	GB, SI,	GR, SK, P 2	TR 0041	IE,	
CN	1010!	5663	5		А		2007	1017				US39. 8003:						

			US	2004-624816P	Р	20041104
			WO	2005-US39523	W	20051030
JP 2008518957	T	20080605	JP	2007-539301		20051030
			US	2004-624816P	P	20041104
			WO	2005-US39523	W	20051030
IN 2007CN01653	A	20070831	IN	2007-CN1653		20070423
			US	2004-624816P	Р	20041104
			WO	2005-US39523	W	20051030
US 20070299101	A1	20071227	US	2007-666966		20070502
			US	2004-624816P	P	20041104
			WO	2005-US39523	W	20051030

OS MARPAT 144:488409

IT 688357-17-7P

RL: PAC (Pharmacological activity); PEP (Physical, engineering or chemical process); PYP (Physical process); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)

(drug candidate; preparation of N-acyl anthranilic acid and related compds. as niacin receptor agonists and their methods of treatment of dyslipidemias)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

IT 887401-58-3P 887401-59-4P

RL: PAC (Pharmacological activity); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of N-acyl anthranilic acid and related compds. as niacin receptor agonists and their methods of treatment of dyslipidemias)

RN 887401-58-3 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, (+)- (CA INDEX NAME)

Rotation (+).

RN 887401-59-4 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, (-)- (CA INDEX NAME)

Rotation (-).

IT 688356-96-9P 688357-16-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of N-acyl anthranilic acid and related compds. as niacin receptor agonists and their methods of treatment of dyslipidemias)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

The invention is related to a method of treating atherosclerosis, dyslipidemia AΒ and related conditions wherein a nicotinic acid receptor partial/agonist I, or one of its pharmaceutically acceptable salts or solvates, is administered to a human patient in combination with a DP receptor antagonist, e.g. II, in amts. that are effective for treatment in the absence of substantial flushing. The invention is also related to the preparation of tetrazole I and DP antagonists. Thus, I was prepared by reaction of cyclopentanone with diethylmalonate (no data for the intermediate), followed by cyclization with hydrazine hydrochloride, amidation of the ester with methanolic ammonia, dehydration of the amide, and cyclization of the nitrile with NaN3. An 11step synthesis was given for pyridoindolizine II (no data for the intermediates). II, and its derivs., having a binding affinity (Ki) for CRTH2 of about  $\geq$  0.5  $\mu$ M, and a selectivity for the DP receptor over CRTH2 of at least about 10 fold, are useful to inhibit the flushing effect seen when tetrazole I or its pharmaceutically acceptable salts or solvates are administered alone.

AN 2006:212213 CAPLUS Full-text

DN 144:292761

Preparation of 3-(2H-tetrazol-5-yl)-1,4,5,6-tetrahydrocyclopentapyrazole as nicotinic agonist and pyridoindolizine derivatives as DP receptor antagonists, and their combination useful for treating atherosclerosis, dyslipidemias and related conditions

IN Waters, M. Gerard; Turner, Mervyn

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 55 pp. CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

```
____
                                _____
PΙ
    WO 2006026273
                         Α2
                                20060309
                                           WO 2005-US30001
                                                                   20050824
     WO 2006026273
                         А3
                                20060908
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,
             LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA,
             NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK,
             SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU,
             ZA, ZM, ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
             CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
             GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM
                                            US 2004-604443P
                                                                   20040825
     US 20070244107
                          Α1
                                20071018
                                            US 2007-631741
                                                                    20070105
                                            US 2004-604443P
                                                                Ρ
                                                                   20040825
                                            WO 2005-US30001
                                                                W
                                                                   20050824
```

OS CASREACT 144:292761

IT 688356-96-9P 688357-16-6P 688357-17-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(DP receptor antagonist; preparation of a nicotinic agonist and DP receptor antagonists, and their combination useful for treating atherosclerosis, dyslipidemias and related conditions)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

IT 688357-27-9P 688357-28-0P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of a nicotinic agonist and DP receptor antagonists, and their combination useful for treating atherosclerosis, dyslipidemias and related conditions)

RN 688357-27-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (+)- (CA INDEX NAME)

Rotation (+).

RN 688357-28-0 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (-)- (CA INDEX NAME)

Rotation (-).

- L4ANSWER 14 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN
- AΒ A method of treating atherosclerosis is disclosed wherein nicotinic acid or another nicotinic acid receptor agonist is administered to the patient in combination with a DP receptor antagonist. The DP receptor antagonist is administered to reduce, prevent or eliminate flushing that may otherwise occur.
- ΑN 2004:999670 CAPLUS Full-text
- DN 141:420447
- Method of treating atherosclerosis, dyslipidemias and related conditions ΤI
- ΙN Cheng, Kang; Waters, M. Gerard; Metters, Kathleen M.; O'Neill, Gary
- PΑ USA
- SO U.S. Pat. Appl. Publ., 33 pp.
  - CODEN: USXXCO
- Pat.ent.

DT LA FAN.	Eng	tent glish 1					
	PATENT NO.			KIND 		APPLICATION NO. DATE	
ΡI		20040229844		1	20041118		
	ΙΙΔ	2004240597	A	1	20041202	US 2003-470665P P 200305 AU 2004-240597 200405	
	110	2001210037	1.	_	20011202	US 2003-470665P P 200305	
						WO 2004-US14980 W 200405	
	CA	2525772	A	1	20041202		
						US 2003-470665P P 200305	
		0004100070	-	-	00041000	WO 2004-US14980 W 200405	
	WO	2004103370					
						BA, BB, BG, BR, BW, BY, BZ, CA,	
						DM, DZ, EC, EE, EG, ES, FI, GB,	
						IN, IS, JP, KE, KG, KP, KR, KZ, MD, MG, MK, MN, MW, MX, MZ, NA,	
						RO, RU, SC, SD, SE, SG, SK, SL,	
						UG, US, UZ, VC, VN, YU, ZA, ZM,	
		•		•		NA, SD, SL, SZ, TZ, UG, ZM, ZW,	
						TM, AT, BE, BG, CH, CY, CZ, DE,	
						IE, IT, LU, MC, NL, PL, PT, RO,	
		·				CI, CM, GA, GN, GQ, GW, ML, MR,	•
		SN, TI	, TG				
						US 2003-470665P P 200305	
	EP					EP 2004-785539 200405	
						GB, GR, IT, LI, LU, NL, SE, MC,	
		IE, SI	, LT, LV	, FI	, RO, MK,	CY, AL, TR, BG, CZ, EE, HU, PL,	
						US 2003-470665P P 200305	
	חח	2004010272	70		20060516	WO 2004-US14980 W 200405	
	BK	2004010273	A		20060516	BR 2004-10273 200405	115 15
						BR 2004-10273 200405 US 2003-470665P P 200305 WO 2004-US14980 W 200405	113
	CN	1787819	A		20060614	CN 2004-80012853 200405	113
	CIV	1707019	1.		20000011	US 2003-470665P P 200305	
	JР	2006526030	I		20061116	JP 2006-515355 200405	
	-					US 2003-470665P P 200305	
						WO 2004-US14980 W 200405	
	IN	2005DN04759	A		20071207		
						US 2003-470665P P 200305	15
						WO 2004-US14980 W 200405	13
	MX	2005PA12272	A		20060519	MX 2005-PA12272 200511	
						US 2003-470665P P 200305	
						WO 2004-US14980 W 200405	
	KR	806008	Е	1	20080226	KR 2005-721795 200511	
						US 2003-470665P P 200305	15

				WO	2004-US14980	W	20040513
NO	2005005957	A	20060214	ИО	2005-5957		20051214
				US	2003-470665P	Р	20030515
				WO	2004-US14980	W	20040513
KR	2008003470	A	20080107	KR	2007-729888		20071221
				US	2003-470665P	P	20030515
				WO	2004-US14980	W	20040513
				KR	2005-721795	А3	20051115

IT 688356-96-9P 688357-16-6P 688357-17-7P

RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(method of treating atherosclerosis, dyslipidemias and related conditions)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

IT 688357-25-7P 794535-39-0P 794535-46-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(method of treating atherosclerosis, dyslipidemias and related conditions)

RN 688357-25-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, ethyl ester (CA INDEX NAME)

$$\begin{array}{c} \text{Cl} \\ \text{i-Pr} \\ \text{N} \\ \end{array}$$

RN 794535-39-0 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, (8R)- (CA INDEX NAME)

Absolute stereochemistry.

RN 794535-46-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, (8S)- (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 15 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN GI

## \* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

Title compds. I [wherein G = O(CH2)1-2, S(CH2)1-2, (un)substituted C1-3alkyl; AΒ Ar = hetero/aryl optionally substituted with Rq; Q = CO2H, CONH2 and derivs., SO2NH2 and derivs., SO3H, PO3H2 and tetrazolyl; one of A, B, C, or D is N and the others are independently selected from CH and CRg; E = (CH2)a-X-(CH2)b, phenylene, cycloalkylidene, cycloalkylene, etc.; a, b = 0-1, X = a bond, O, S,NH and derivs., etc.; F = (CH2)m and derivs., CH:CH and derivs.; m = 1-3; R1 = 1-3H, CN, OH and derivs., (un) substituted alkyl, etc.; R2 = H, alkyl optionally substituted with 1-6 halogens; R1R2 = oxo; or R1R2 = (un)substituted 3- or 4membered ring, optionally containing 1 heteroatom; R3 = H, (un)substituted alkyl; Rg = halo, CN, CHO, CO2H and derivs., CONH2 and derivs., NH2 and derivs., NO2, alkoxy, OCONH2 and derivs., SO2-alkyl, (un)substituted alk/en/yl, etc.] were prepared as prostaglandin receptor, in particular PGD2, antagonists useful for the treatment of prostaglandin-mediated diseases such as allergic rhinitis, nasal congestion and asthma (no data). Six biol. assays are given (no data). Thus, reaction of II (preparation given) with a mixture of bis(3,4-dichlorophenyl)disulfide, SO2Cl2, 1,2-dichloroethane, followed by hydrolysis gave the pyridoindolizinyl acid III.

AN 2004:390250 CAPLUS Full-text

DN 140:406734

TI Preparation of pyridopyrrolizines and pyridoindolizines as prostaglandin receptor, in particular PGD2, antagonists

IN Leblanc, Yves; Dufresne, Claude; Roy, Patrick

PA Merck Frosst Canada & Co., Can.

SO PCT Int. Appl., 68 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.					KIND		DATE		APPLICATION NO.						DATE		
ΡI	WO 2004039807			A1 20040513			1	WO 2003-CA1658						20031028				
		W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,
			CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,	GE,
			GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KR,	KΖ,	LC,	LK,	LR,
			LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NI,	NO,	NZ,	OM,
			PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,	ТJ,	TM,	TN,
			TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,	VN,	YU,	ZA,	ZM,	ZW			
		RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	AZ,	BY,

```
KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,
          FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,
          BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
                                                 US 2002-422443P
                                                                       P 20021030
                                                                          P 20030626
                                                 US 2003-482626P
CA 2503767
                          Α1
                                  20040513
                                                US 2003-482626P P 20031028
WO 2003-CA1658 W 20031028
AU 2003-275868
                                                 CA 2003-2503767
                                                                              20031028
                                                 AU 2003-275868 LS.
US 2002-422443P P 20021030
US 2003-482626P P 20030626
AU 2003275868 A1
                                  20040525
                                                 WO 2003-CA1658
                                                                          W 20031028
EP 1558614
                                  20050803
                                                 EP 2003-809672
                                                                              20031028
                          Α1
     R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
          IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
                                                                        P 20021030
                                                 US 2002-422443P
                                                                        P 20030626
                                                 US 2003-482626P
                                                                          W 20031028
                                                 WO 2003-CA1658
BR 2003015681
                          Α
                                  20050906
                                                 BR 2003-15681
                                                                              20031028
                                                 US 2002-422443P P 20021030
US 2003-482626P P 20030626
WO 2003-CN1650
                                                 WO 2003-CA1658
                                                                        W 20031028
CN 1732171
                                  20060208
                                                 CN 2003-80107732
                                                                              20031028
                         Α
                                                 US 2002-422443P P 20021030
US 2003-482626P P 20030626
JP 2006506457 T
                                  20060223
                                                 JP 2005-501791
                                                 JP 2005-501791 20031028
US 2002-422443P P 20021030
US 2003-482626P P 20030626
                                                                              20031028
                                                 WO 2003-CA1658
                                                                        W 20031028
NZ 539406
                                  20070531
                                                 NZ 2003-539406
                                                                              20031028
                        Α
                                                 NZ 2003-539406 20031028
US 2002-422443P P 20021030
                                                 US 2003-482626P P 20030626

WO 2003-CA1658 W 20031028

US 2005-532633 20050425
US 20050272756
                        A1
                                  20051208
                                                 US 2005-532633
                                                                              20050425
                                                US 2002-422443P P 20021030
US 2003-482626P P 20030626
WO 2003-CA1658 W 20031028
                                                 MX 2005-PA4715
                                                                              20050429
MX 2005PA04715
                          Α
                                  20050803
                                                 MX 2005-PA4715 20050429

US 2002-422443P P 20021030

US 2003-482626P P 20030626
                                                 WO 2003-CA1658
                                                                        W 20031028
NO 2005002591
                          Α
                                  20050729
                                                 NO 2005-2591
                                                                              20050527
                                                US 2003-2391 20030327

US 2002-422443P P 20021030

US 2003-482626P P 20030626

WO 2003-CA1658 W 20031028
```

OS MARPAT 140:406734

IT 688357-25-7

RL: RCT (Reactant); RACT (Reactant or reagent)

<sup>(</sup>preparation of pyridopyrrolizines and pyridoindolizines as prostaglandin D2 receptor antagonists)

RN 688357-25-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, ethyl ester (CA INDEX NAME)

IT 688357-17-7P 688357-27-9P 688357-28-0P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(prostaglandin D2 receptor antagonist; preparation of pyridopyrrolizines and pyridoindolizines as prostaglandin D2 receptor antagonists)

RN 688357-17-7 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

RN 688357-27-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (+)- (CA INDEX NAME)

Rotation (+).

RN 688357-28-0 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)-, methyl ester, (-)- (CA INDEX NAME)

Rotation (-).

IT 688356-96-9P 688357-16-6P 688357-46-2P 688357-48-4P 688357-49-5P 688357-50-8P

688357-51-9P 688357-69-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prostaglandin D2 receptor antagonist; preparation of pyridopyrrolizines and pyridoindolizines as prostaglandin D2 receptor antagonists)

RN 688356-96-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(3,4-dichlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-16-6 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(methylsulfonyl)- (CA INDEX NAME)

RN 688357-46-2 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-fluorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

RN 688357-48-4 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

RN 688357-49-5 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(2,4-dichlorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

RN 688357-50-8 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-bromophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

RN 688357-51-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(2-chloro-4-fluorophenyl)thio]-7,8-dihydro-1-(1-methylethyl)- (CA INDEX NAME)

RN 688357-69-9 CAPLUS

CN 6H-Pyrido[3,4-b]pyrrolizine-8-acetic acid, 9-[(4-chlorophenyl)thio]-7,8-dihydro-1-(1-methoxypropyl)- (CA INDEX NAME)